INDEX OF AUTHORS.

A

Abelein, R., 60
Ackert, J. E., 19
Aldigé, E., 126
Aragão, H. de B., 183
Avery, L., with Hall, 134

B

Bacot, A., & Linzell, 45
Bassett-Smith, P. W., 13
Bauche, J., & F. Motais, 121
Bedford, G. A. H., 311
Behn, P., with Knuth & Schulze, 6
  with Kühn, 19
Bevan, Ll. E. W., 167
Bierbaum, K., 55
Bishopp, F. C., 192
Boquet, A., 221
Bouin, —, 14
Boulenger, C. L., 131
Brandt, F. R., 165
Brown, W. H., & L. Pearce, 107
Brug, S. L., 121
Brumpt, E., 3, 98, 99
Bull, L. B., 21

C

Canaby, E., 61
Cawston, F. G., 208
Chrètien, A., 213
Cross, H. E., 179
Croveri, P., 59, 111
Curasson, G., 103, 152, 236
Cushny, A. R., & H. E. Watt, 336

D

de Kock, G. v. d. W., 36, 288, 325, 351
Delanoë, P., 105
De Meza, J., 169
Dischamps, A., with Panisset, 235
Dijkman, C. D., with Green, 347
Dodd, —, 84
Dodd, S., 258
Donatien, A., 308
  with Sergent, Edm., & Et., 285, 286
  with Sergent & Lhéritier, 283, 284
Donnat, —, 62
Duke, H. L., 112
du Toit, P. J., 147
  with Theiler, Viljoen, Green, & Meier, 261

E

Egaña, C. S., 82
Escomel, E., 90

F

Fabyan, M., with Tyzzer, 307
Facer, A. W., 189
Feusier, M. L., with Meyer, 323
Filho, P., & C. F. Pinto, 36
Fischer, W., & H. Scheidemann, 184
Fisher, C. W., with Stone, 90
Fiske, W. F., 180
Formad, R. J., 102
Franchini, G., with Laveran, 17, 297
Froehner, E., 59

G

Gedoelst, L., 42
Giese, —, with Titze, 55
Goodall, A., 182
Green, H. H., 78, 87
  & C. D. Dijkman, 347
  & N. H. Kestell, 350
  with Theiler, Viljoen, du Toit, & Meier, 261
Gutberlet, J. E., 19

H

Habersang, —, 147
Hadwen, S., 143
Hall, M. C., 134
  & L. Avery, 134
  & M. Wigdor, 134
  with Ransom, 215
Hasselmann, G., 191
Hasseltine, H. E., 148
Heidelberger, M., with Jacobs, 107
Henry, A., & Ch. Joyeux, 211
Hill, G. F., 195, 198
Hodgkins, J. R., 205
Hoole, E. T., 270
Hornby, H. E., 232, 312
Hutchins, E., 170

J

Jack, R. W., 115
Jacobs, W. A., & M. Heidelberger, 107
Jouan, C., & A. Staub, 239
Joyeux, Ch., with Henry, 21

K

Kasai, K., & R. Kobayashi, 16
with Kusama & Kobayashi, 123
Kawakami, Z., 25
Kehoe, D., 46
Kestell, N. H., with Green, 350
Kobayashi, R., with Kasai, 16
with Kusama & Kasai, 123
Knuth, P., P. Behn, & P. Schulze, 6
Kusama, S., K. Kasai, & R. Kobayashi, 123

L

Laveran, A., & G. Franchini, 17, 297
Leger, M., & E. Tejera, 287
Lhéritier, A., with Sergent & Donatier, 283, 284
Leibold, A. A., 54
Lewis, —, 24
Lignières, J., 1, 95
Lim, R. K. S., 101
Linzell, J., with Bacot, 45
Littlewood, W., 271

M

Magalhães, O., 154, 235, 269
Marshall, G. A. K., 42
Marullaz, M., 299
Marxer, A., 247
Mason, F. G., 273
Meier, H., with Theiler, Viljoen, Green, & du Toit, 261
Meyer, K. F., & M. L. Feusier, 323
& E. B. Shaw, 323
Milne, A. S., 164
Mitchell, D. T., 84, 344, 345
Monfrais, —, 237
Monod, Th., & H. Velu, 141
Morel, —, 153
Morgan, E., 190, 260
Motais, F., with Bauche, 121
Moussu, G., 248
Musso, L., 138

N

Newsom, L. E., 53
Nicolas, Ch., 258
Niles, W. B., & J. H. Rietz, 239
Nuttall, G. H. F., 42, 139, 140

O

O'Dea, M. E., 165

P

Panisset, L., & A. Dischamps, 235
& Sendrail, 54
Pasteur, —, 51
Patterson, J., 53
Pearce, L., with Brown, 107
Pinto, C. F., with Filho, 36
Porter, A., 206

R

Railliet, A., 25
Ransom, B. H., & M. C. Hall, 215
Rietz, J. H., with Niles, 239
Robertson, G. W., with Wilmot, 334
Robinson, E. M., 52, 320
Rosenbusch, F., 253

S

Sambon, —, 36
Samsonoff, —, 91
Scheidemann, H., with Fischer, 184
Schein, H., 238
Schellhase, —, 89
Schern, H, 58
Schulze, P., with Knuth & Behn, 6
Schwartz, B., 210
Scott, J., 24
Scott, J. W., 146
Sendrail, —, with Panisset, 54
Senevet, G., 195
Sergent, Edm., A. Donatien, & A. Lhéritier, 283, 284
Edm., & Et., & A. Donatien, 285, 286
Et., 120
Shaw, E. B., with Meyer, 323
Sheather, A. L., 14, 227
& A. W. Shilston, 133
Shilston, A. W., with A. L. Sheather, 133
Sinclair, J. M., 276
Smith, E. I., 186
Spitz, G., 202
Staub, A., with Jouan, 239
Stewart, F. H., 20
Stockman, S., 44
Stone, R. V., & C. W. Fisher, 90
Stordy, —, 47
Straus, A. H., & A. C. Wight, 54
Sturgess, G. W., 164

T

Tejera, E., 175
with Leger, 287
Teppaz, L., 57, 59, 148
Theiler, A., 18, 63, 314, 328, 329, 331, 338, 341
P. R. Viljoen, H. H. Green, P. J. du Toit, & H. Meier, 261

Titze, —, & Giese, 55
Tovar, M., 310
Treadgold, C. H., 129
Tyzzer, E. E., 192
& M. Fabyan, 307

U

Union of South Africa, Select Committee of, on East Coast Fever, 294

V

Van den Branden, F., 106
Van Heelsbergen, T., 242
Van Saceghem, R., 143
Veglia, F., 26
Velu, H., 14, 84, 309, 322
with Monod, 141
Verge, J., 323
Viljoen, P. R., 68, 82, 302
with Theiler, Green, du Toit, & Meier, 261
von Bassewitz, E., 181

W

Walker, J., 12, 92, 301
Walters, G., 58
Watson, E. A., 225
Watt, H. E., with Cushny, 336
Wigdor, M., with M. C. Hall, 134
Wight, A. C., with Straus, 54
Wilmot, F. C., & G. W. Robertson, 334
Wislocki, G. B., 137
Wright, L. H., 145

Y

Yoshida, S., 20, 210

INDEX OF SUBJECTS.*

Compiled by MISS M. H. JAMES.

Note—Incidence, Treatment, &c., are indexed only under Diseases, and not under Animals Affected by Diseases.

Abortion, in Dromedaries suffering from Debab, 286

Abortion, Contagious
- Bovine
  - Causal Organism, 52, 53
    - Comparison of, with *B. melitensis*, 323
  - Detection, Prevention, Treatment, 279
  - Incidence
    - South Africa, **52**
    - Southern Rhodesia, 168, 278, 279
  - Prophylaxis
    - Inoculation with Devitalised Vaccine, 278
    - Segregation of known Aborters, 278
- Equine
  - Causal Organism, 143
  - Incidence
    - Belgian Congo (epizootic of 1919), **143**
    - Europe, 143

Abscess Plague : in Brazilian Cattle, **154**

Abscesses
- Habronemic, Equine, 199, 202, 205-6
- due to *Onchocerca* sp. in Cattle : Madagascar, 214
- of Ulcerative Lymphangitis : Treatment of, 224

Acute Liver Atrophy, Equine, *see* **Staggers**

African Coast Fever, *see* Theileriasis (East Coast Fever), *under* **Piroplasmosis**

Allotriophagia, in Cattle ; South Africa, 262, 265

Amoebiasis (Amoebic Dysentery)
- Canine, **121**
  - in French Indo-China, 122
  - Parasites present, 122–3
  - Where previously Observed, 122

Amphibia : Trematode Parasites of, Cercariae of, Mollusc Hosts of ; South Africa, 206

Anaemia(s)
- Infectious (Pernicious), or Swamp Fever, Equine, 10, 11, 41, **143,** 294, 302
  - Blood-Conditions in, 144–5
  - Carriers of, 325, 327, 328
    - Parasitic Conditions Complicating, 143–5
  - Clinical Investigations into, 59, **60, 143, 145, 247**
  - Condition resembling, induced by Methylene Blue, 351–2
  - Diagnosis, and Differential Diagnosis, Difficulties in, 60, 61, 143, 145, 325
  - Diseases Misdiagnosed as, 60
  - Etiology still Obscure, 60
  - *Gastrophilus* Larvae in relation to, **247**
  - Incidence
    - Canada, 143
    - Eastern and Western War Fronts, 60
    - Europe, 325
    - France, 143
    - Japan, 60, 325
    - Prussia, East, **59**
    - South Africa, 325
    - U.S.A., 60, 143, 325
  - Insects possibly Spreading, 60, 193
  - Long Bones in, Changes in, and in other Conditions, **145**
  - Resemblances in, to Nuttalliasis, 294

* The numbers in heavy type refer to the titles of the papers summarised.

Anaemia(s)—*cont.*
Infectious—*cont.*
Transmission by Flies and other Insects, actual and possible, 60, 193
Experimental by
Extract of *Gastrophilus* Larvae, 41, **147**
Feeding, 146
Infected Serum, **147**
Infected Helminth Injections, 144–5
Insects, **146**
Treatment
Drugs Experimented with, 328
Secondary, Variously caused, Confused with Anaemia, Infectious Equine (*q.v.*, *supra*), 60
Verminous, Differentiation of, from Swamp Fever, Difficulty of, 143

Anaplasmosis, Bovine, or Gall-Sickness, **183**
Association of, with Piroplasmosis, 97
Animals affected
Cattle, **1, 95,** 167, 168, **183,** 277, 281
Goats, **1, 95**
Sheep, **1, 95**
Diagnostic Methods, 183
Epizootiological Charts, Importance of, 97
Immunity of Cattle, as affected by Dipping, 167, 168
Incidence : All Animals
Argentina, 97
Southern Rhodesia, 167, 168, 277, 281
Parasites associated with
Anaplasma
Affinity for Internal Organs, 183
Chromatin Bodies as distinct from, **1**
Considered as Degeneration forms within Erythrocytes, 183
Haemic Nature of, 183, 184
Thick Film Method of Staining, for Diagnosis, **182**
argentinum, 95
Experimental Inoculation with, **1**
marginale, 96, 97
var. *centrale*, 96
Prophylaxis
Inoculation, **95**
Susceptibility to Bovine form, of Sheep and Goats, **1, 95**

Aneurism, Verminous, of Anterior Mesentery, in Horses with Infectious Anaemia and other Diseases, 41

Animals affording Food to Glossina palpalis, in order of Predilection, 181

Antelopes
Diseases of
Contagious Impetigo, 233
Filariasis, 126
Pleuropneumonia, 89
Rinderpest, 113, 170
Parasites of
Filaria, 126
Gastrothylax sp., 212, 213
Oestrus interruptus, n. sp., 42
Plasmodia, 15
Setaria, 213

Anthrax, 279
Animals affected
Asses, 47, 50
Camels, 153
Cattle, 46, 47, 50, 143, 164, 165, 168, 270, 278, 305
Dogs, 48
Goats, 47, 50, 142, 164
Horses, 46, 47, 50, 164
Mules, 47, 50
Ostriches, 48, 49
Sheep, 46, 47, 50, 142, 164, 272
Swine, 47
Animals Possessing Natural Immunity to, 141, 142
Bacillus of, Recognition of, and consequent Differentiation of the Disease, 46
Breeding-grounds, 270
Diagnosis of, 49
Differential from Equine Piroplasmosis, 10
Difficulty of, 160
Methods employed, 183
Disease Resembling, 322
Diseases with which formerly Confused, 46
Incidence : All Animals
Geographical
Africa
British East, 47
South, **46**
British Guiana, 164
Ceylon, 164, 270
Egypt, 272
Gold Coast, 165
India, 156, 157, 158
Italian Somaliland, 153
Madagascar, 48
Morocco, **141**
Southern Rhodesia, 167, 278, 279

Anthrax—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Uganda, 171
Locale, 47
Season, 47
Manifestation, severe, of, after Dipping, 47–8
Prophylaxis
Control Measures, 49, 51
Destruction of Infective Material, 49, 51, 195, 269
Vaccination, 46, 49, 50–1, **141,** 159, 160, 278
Undesirable Sequelae of, and Failure to Secure Immunity by, 50–1
Route of Infection, 49
Spread by
" Horse-flies," 47
Infected Hides, 48–9
Insects, 49, 193
Water, 49
Spread of, from Animals to Man, Methods of, 48–9
Symptomatic, *see* **Blackquarter**

Aphthous Fever, *see* **Foot and Mouth Disease**

Arestin : Skin Disease of Cattle, Venezuela, affecting White or Light Areas of Body, 260

Asses
Diseases of
Anthrax, 47, 50
Contagious Abortion, 143
Epizootic Contagious Catarrh, **329**
Filariasis, 126
Rabies, 271
Trypanosomiases, 175, 177, 182
Insect Pests of, 195
Parasites of, Helminthic, 212
Sclerostoma, **131**

Baboons, Filaria *Loa papionis* in, **129**

Bacterial Diseases, 46–55, 141–3, 231–5, 314–24

Bacteriology
Bacilli referred to
abortivo-equinus, 143
abortus, and *Bacterium melitensis*, Comparative Study of, **323**
Bi-polar, in Haemorrhagic Septicaemia, 166
bronchisepticus, 323
diphtheriae, Analogy between, and Preisz-Nocard Bacillus, 226

Bacteriology—*cont.*
Bacilli referred to—*cont.*
Preisz-Nocard, *see under* **Lymphangitis, Ulcerative**
putrificus, n Lamziekte, 263
Tuberculosis, Virulence of, Isolated from Bovine Lesions ; India, **227** ; *tables*, 230, 231
Bacteria, Behaviour of, towards Arsenic, **350**
Toxicogenic Saprophytic, associated with Lamziekte, 262-3
Bacterium melitense and *Bacillus abortus*, Comparative Study of, **323**
Brucella genus, nov. gen., Studies on, **323**
Fowl Cholera Group of Organisms, Affections due to, in Morocco, **322**
Streptothrix Infection in Cattle &c., 232–3

Bats,
Animals molested by : Venezuela, 261

Big Head, Equine, *see* **Osteoporosis, Equine**

Biliary Fever, Equine, *see* NUTTALLIASIS, *under* **Piroplasmoses**

Birds, *see also* **Fowls, Turkeys** *and under Names*
Diseases of
Blackhead in Turkeys, **192, 307**
Fowl Cholera, 170
Fowl Diphtheria, 62, 242, 243, 272
Fowl-pox and Fowl-plague, **239, 242**
Gapes, 134
Malaria due to *Plasmodium relictum*, **120**
Parasites of
Anoplura, 311, 312
Plasmodium relictum, **120**

Blackhead in Turkeys
Insect Vector, possible, 308
Parasite causing ; Reclassification of, **192**
Transmission by Inoculation, **307**

Blackquarter, Blackleg, or **Symptomatic Anthrax**
Animals affected
Cattle, 159, 164, 167–8, 271, 277, 279, 281, 305
Sheep, 281

Blackquarter, Blackleg, or **Symptomatic Anthrax**—*cont.*
Incidence
Geographical
Ceylon, 164, 271
India, 156, 157
Southern Rhodesia (enzootic), 167–8, 277, 279, 281
Union of South Africa, 305
Seasonal, 277
Initial Severity of, 277
Mortality, 277
Prophylaxis
Carcass Destruction, 195
Inoculation, 159
Results, 277
Vaccines for, 281

Blue Tongue, in Sheep: South Africa, 338.

Boils, Developed in Experimental Animals, from Cultures of *Herpetomonas phiebotomi*, 297

Bone and Joint Disease of Camels: Egypt, 275

Botanical References
Clover as causing Schweinsberger Disease, 334
Crotalaria dura
Feeding-Experiments with, 334
Jagziekte caused by, 342
"Dubbeljedoorn"; Geddikop believed to be caused by, 338 sqq.
Juniperus phœnicea and *Tuya articulata*, Tar from, used for Dromedary Mange, 138, 309
Maize Products, Deficiency Aspect of, **78**
Paspalum dilatatum, infected with *Claviceps paspali*, Feeding-Experiments with, on Cattle, **344**
Pasture in relation to Lamziekte, 69 *sqq.*
Ragwort Poisoning, *see* Senecio
St. John's Wort, Action of, on Live Stock; Australia, **258**
Senecio
Species causing Disease in Animals, 333 *sqq.*, **336**
Man, **334**
Senecio Poisoning
Dunziekte attributed to, 331
in Horses, **67,** 331
Symptoms, 68
in Man: South Africa, **334**

Botanical References—*cont.*
Sorghum, Locust-attacked, effect of, on Cattle and Sheep, 91
Steek Grass, Harmful Effects of, on Sheep: South Africa, **82**
Trefoil as affecting Live Stock, 259
Veld Plants, Feeding Experiments with, on Cattle, **72**

Broncho-Pneumonia, complicating Equine Contagious Catarrh, 330

Buffaloes
Diseases of
Haemorrhagic Septicaemia, 272, **323**
Malaria, 163
Rabies, 271
Rinderpest, 112–13, 170, 171, 239
Intoxication of, by Secretions of Locusts, 91
Parasites of
Fasciola gigantica, 207, 208
Filaria lachrymalis, 275
Malarial, India, **14,** 163
Syngamus laryngeus, **133,** 163
Indian: Virulence in, of *B. tuberculosis*, 227 *sqq.*, *tables* 230, 231

Bursattee or **Bursati,** of Horses
Egypt, 272
India, 25

Bush Pig, Rinderpest in, 170

Camel-Pox: Egypt, 272

Camels and Dromedaries
Diseases and Affections of
Anthrax, 153
Bone and Joint (in Soudanese), 275
Camel-Pox, 272
Debab: Experimental, **285**, 286
Dysentery, due to *Haemonchus longistipes*, 275
Eye-affections due to *Thelasia leesei*, 275
Haemorrhagic Septicaemia, 272, 273, 275
Lahtia, 275
Mange, **138,** 285, 308
Parasitic, 275–6
Mortality due to Ingestion of Sand, 274–5
Pseudo-Actinomycosis (Streptotrichosis), 275
Trypanosomiases, 111–12, 158, 163, 179, 274
Tuberculosis (rare), 273, 275

Camels and Dromedaries—*cont.*
Insects Infesting, 309
Parasites of
Gongylema scutatum, 275
Thelasia leesei, 275
Proposed Extension of Glanders and Farcy Act, India, to Include, 156
Young: Infected by Trypanosome-Infected Mothers, **13**

Cancer, *see* **Swamp Cancer**

Capybara or Chiguire: Trypanosomiasis of, 177, 182

Catarrh, Contagious, Epizootic, of Respiratory Organs of Equines, and its Relation to Purpura Haemorrhagica: [South Africa], **329**
Complications, 330

Cats
Diseases of
Rabies, 150, 271
Insects Infesting
Anoplura, 312
Parasites of
Spirochaetes, **101**

Cattle
Australian Quarantine on, 194
Columbian, Immune to *Dermatobia* Larvae, 361
Dipping of, and Dips for, *see* **Dipping**
Diseases and Affections of
Abscess Plague, **154**
Allotriophagia, 262, 265
Anaplasmosis, **1**, **95**, 167, 168, **183**, 277, 281
Anthrax, 46, 47, 50, 142, 164, 165, 168, 270, 278, 305
Ascariasis, **312**
Babesiasis, 167, 168, 169, 178, **183,** 193, 272, 276, 277, 281, 345
Blackquarter, 159, 164, 167–8, 271, 277, 279, 281, 305
Contagious, 158
Abortion, **52,** 168, 278, 279
Impetigo, **232**
Pleuropneumonia, **55, 57,** 272
Cow-pox, 242, *sqq.*
Cutaneous, 232–3
Affecting White Animals or Particoloured, 260
Warts [Brazil], **269**
Demodectic Mange, 169
Dermatitis of White-skinned Animals, 232

Cattle—*cont.*
Diseases and Affections of—*cont.*
Distomiasis, 280
East Coast Fever, *see* Theileriasis, *infra*
Eczema, 232
Ephemeral Fever, 168
Filariasis, 126
Foot-and-Lip, 272
Foot-and-Mouth, **153,** 157, 158, 164, 166, 171, **248, 253,** 270, 272
Gall-Sickness, *see* Anaplasmosis, *supra*
Gastritis (Helminthic), 163
Gastro-Enteritis, 305
Haemoglobinuria, 101
Haemorrhagic Septicaemia, 166, 272, 322
Heart-water, 305
Indigestion, Acute, 305
Johne's, 163
Lamziekte, **68, 261, 302**
Liver Cirrhosis or Senecio Poisoning, 336
Liver-Rot, 209
Loco-Poisoning, 302
Mange
Demodectic, 232, 233
Psoroptic, 232
Metritis, Septic, 305
Myiasis, 278, 280
"Nodular," **36, 213,** 217
Oedema, General, 305
Oesophagostomiasis, **36,** 212, 215, 217
Onchocercosis, **213**
Ophthalmia, 164, 170
Papera, or Goitre, 175, 178
Paralysis from Maize Infected with *Diplodia zea*, **345**
Parasitic, **215**
Pericarditis, Traumatic, 305
Pica (Depraved Appetite), 262, 265, 307
Piroplasmosis-like, 169
Pleuropneumonia, **55, 57,** 89, 165, 166
Pruritus, due to Eating St. John's Wort, 259
Rabies, 150, 271
Redwater, *see* Babesiasis, *supra*
Rinderpest, **58, 59,** 89, 152, 156, 157, 158, 165, 168, **236, 237, 238,** 270, 271
Salt-Sick (Hookworm Infestation), 217
Sarcosporidiosis, **191**
Spirochaetosis, **99**
Stiff Sickness, 272

Cattle—*cont.*
Diseases and Affections of—*cont.*
Streptothrix Infection, 232–3
Sweating Sickness, 279–80
Tetanus, 305
Theileriasis, 167, 169, 183, 276–7, 279, 281, **294**
Toxaemia, 305
Trypanosomiases, 106, **111**, 115, 117, 118, 119, 157, 168, 170, 171, 178, 232
Tuberculosis, 168, 171, **227**, 273, 278
Pulmonary, 171
Uncertain: Blood Smears forwarded of, to Veterinary Department, 277
Export of, from India, 156
Exports and Imports, Southern Rhodesia, 278–9
Feeding Experiments on, with *Paspalum dilatatum*, Infected with *Claviceps paspali*, **344**
Insects Infesting (*see also* Ticks, &c., *under* Entomology), 194, 195, 260–1
Intoxication of, by Locust-Secretions, **91**
Parasites of
Species referred to
Amphistoma, 208–9, 213
Ancylostomum, 217
Fasciola gigantica and *hepatica*, 207, 208, 209, 212, 220, 221
Filaria, 213
lachrymalis, 275
Gastrodiscus aegyptiacus, 212
Gastrothylax, 212
Gonglyonema scutatum, 275
Haemonchus contortus, 212, 216
Leeches, 36
Liver-flukes, 206, 207, 208, 209, 212
Oesophagostomum radiatum, **36**, 212, 217
Onchocerca sp. incert., 213 *sqq.*
bovis, 215
Paramphistomum, 212
Stomach Worms, 216–17
Strongylus spp., 217
Syngamus laryngeus, **133**, 163
Tapeworms, 221
Trypanosomes, 212
Uncinaria, 217
Treatment for, Investigations into, 163–4
Prophylactic Inoculation of, against Anaplasmosis, **95**
Legislation on: India, 155, 159–61

Cattle—*cont.*
Prophylactic Inspection of
Gold Coast, 165
Nigeria, 165
Registration of; Nyasaland, 170
White
Bats Molesting: Venezuela, 261
Skin-affections of, 260, 261

Cattle-Breeding
Ceylon, 271
India, 155, 161–2
U.S.A. Southern States, hampered by Ticks and Helminths, 215–16

Cattle Plague, *see* **Rinderpest**

Central Research Institutes for Animal Diseases: India, Need for, Urged, 164

Coccidiosis, Intestinal, in Sheep: Morocco, **14**
Parasites associated with
Coccidia: Oocysts of, in Rabbits, 121
Coccidium faurei, 14
Eimeria zurni, 14
Treatment by Change of Pasture, 14

Conjunctivitis, Habronemic, in Horses: Australia, 21, 199

Contagious Diseases (Unspecified) of Cattle, Sheep, and Goats: India, 158

Cowpox, 242
Virus of
Effect of, on Fowls, 243 *sqq.*, 244
Identity of, with that of Equine Contagious Pustular Stomatitis, 246–7
Immunity Reaction Experiments, 245
Inoculation with, against Foot-and-Mouth Disease, 252–3

Coyotes: Susceptibility of, to Rabies, 58

Crotalariosis Equorum, *see* **Jagziekte in Horses**

Cutaneous Equine Habronemiasis, *see* **Granuloma, Habronemic**

Debab, *see under* **Trypanosomiases**

Demodectic Mange, *see under* **Mange**

Depraved Appetite of Cattle in South Africa [Pica], 262, 256, 307

Dermatitis
Equine, associated with Microfilariasis, 128
of White-skinned Bovines : Northern Rhodesia, 232
Granular, in Equine Cutaneous Habronemiasis, 203

Desrengadera, *see under* **Trypanosomiases**

Dikgeel, *see* **Geeldikop**

Dikkop, Oesophagus Paralysis in, 328–9

Dipping
for Cure of
Contagious Abortion, 279
Impetigo, 234
Mange, 309, 310
Redwater, 169
Sheep Scab, &c., 310
for Eradication of
Dermatophilus congolensis, 234
Sheep-keds, 195, 198
Ticks, **84, 87,** 167, 168, 169, 170, **190,** 191, 195, 276–7, 279, 295, 296, 297
Complete Essential, 276–7
Immunity as affected by, 167, 168
Ordinance on : Rhodesia, 167
Solutions Employed, **87, 89,** 187, 188, **189,** 234, 276, 278, 281
Arsenical
Arsenic for, Micro-Titration of, **87, 89**
Arsenite of Soda Fluids for : Effect of, on Oxen, **84**
Bacterium Causing Change of, to Arsenate, and *vice versa*, **87**
Elimination of the Arsenic, 348 *sqq.*
Table of Strengths, 190
Testing of, **189**
Statistics concerning, in U.S.A., 188
Tanks or Vats for, 187

Distemper : Prophylactic Vaccine for, 163

Dogs
Cross-bred with Jackal : Helminthic Parasites of, 213
Diseases of
Anthrax, 48

Dogs—*cont.*
Diseases of—*cont.*
Ankylostomiasis, 217
Ascariasis, 219
Babesiasis, 3, **98,** 168, 170, **184,** 186
Gastric Enteritis, 102
Haemoglobinuria, 3, 4
Malignant Jaundice, 3, 98
Piroplasmosis, *see* Babesiasis, *supra*
Rabies, **148,** 150, 270, 271
Rabies-like : West Africa, 148
Scabies, 165
Schistosomiasis, 184
Trypanosomiases
Surra, 157
due to *T. marocanum*, **105, 111**
Experimental Infection of, with Cultures of Insect Herpetomonads, **297**
Insects Infesting, *see* Ticks, *under* **Entomology**
Leeches Infesting ; West Africa, 36
Parasites of Live-Stock Transmitted by, 216
Parasites of
Dioctophyme renale, **137**
Helminthic, Transmission of, 216
Spiral Organisms, 102
Spirochaetes, 102
Trypanosoma venezuelense, 177

Domestic Animals (Mammals), *see also under Names*
Lice of, U.S.A., 193
Mange in,. Control of, **309**
Trypanosomiases of : Italian Somaliland, **111**

Donkeys, *see* **Asses**

Dourine, *see under* **Trypanosomiases**

Dromedaries, *see* **Camels and Dromedaries**

Drugs Used and Experimented with
Anthelmintics, **134** *sqq.*
Castor Oil, Protective properties of, 137
Alkaloids of Senecio (various kinds of), 336–7
Arsenic
Behaviour towards, of Bacteria, **350**
Fate of, in the Animal Body : Experiments on, **346**
Oral Dosage of Animals : Experiments on, 349
Toxic Dose for various Animals, 349–50

Drugs Used & Experimented with—*cont.*
Arsenical, for Cattle Dipping, 187, 188
Testing of, **189**
Capable (and the reverse) of Saving Animals given Lethal Doses of Ol. Chenop., or of Male Fern, 137
Chloroform followed by Salts, for Lungworms, 217–18
Colocynth Tar, for Mange in Dromedaries, **138**
Experimented with in Treatment of Equine Infectious Anaemia, 328
Foot and Mouth Disease, 250
Nuttalliasis, **288,** 326
Table, 290–3
Filicine and Filicic Acid in Male Fern, 221
Forms most Economical and Effective for Parasites of Sheep and Cattle, Investigations into, 163–4
Iodides, Experiments with in Mycotic Disease, 235
Kamala powder, as Vermifuge, 221
Male Fern, Oleoresin of, as Vermifuge, 221
Methylene Blue in Nuttalliasis, 294
Toxic Effects of, 294, **351**
N. Phenylglycineamide-*p*-Arsonic Acid, in Trypanosomiases and Spirochaetoses, **107**
Oestrin : Toxicity of, 247
Ol. Chenop. as Vermifuge, 219, 220
Purgatives to give with Ol. Chenop., Experiments on
Castor Oil, 137
Magnesium Sulphate, 137
Tried in Prophylaxis and Treatment of Foot and Mouth Disease, 250
Tuberculin Treatment of Working Animals, 276
Turpentine as Vermifuge, 220

Ducan, *see* SALAF, *under* **Trypanosomiases**

Ducks, Domesticated, Snail-destruction by, 209

Dunziekte, *see also* **Staggers**
in South African Horses, 65, **331**
Distribution at Normal Times, 333
Infectious Equine Anaemia Mistaken for, 326

Dysentery of Camels in Egypt, due to *Haemonchus longistipes*, 275

East Coast Fever, *see* THEILERIASIS, *under* **Piroplasmosis**

Eczema, Bovine ; Northern Rhodesia, 232

Elephants, *Cylicostomum falciferum* of, 133

Elks ; Tick Infesting, 195

Enteritis, Gastric, in Dogs, 102
Spiral Organisms present, 102

Entomology
Acarinae associated with Camel-Mange, 309
Demodectic, and Impetigo of Cattle, 233
Tropical Fowl Mite, 194
Anoplura from South African Hosts [List of identified Species], **311**
Ants, *see* Termites, *infra*
Biting and Blood-sucking Flies, *see also under Names*
Other than Glossina as Vectors of Trypanosomiases, 111, 112, 166
Black Blow-Fly, Flight-range of, 194
" Blow-fly " as possible Vector of Blackhead in Turkeys, 308
Larvae, Toxicity of, 264
Bots or Bot-Flies, *see* Gastrophilidae *infra*
Cattle Tick, *see* Ticks, *infra*
Chrysomyia macellaria (Screw Worm Fly), Economic Losses due to, U.S.A., 221
Flight-range of, 194
Crithidia melophagi, Infections conveyed by Mice, **17**
Ctenocephalus canis, Herpetomonads of, Cultures of, Infection by, of Guinea-pigs, 298
Dermatobia cyaniventris Larvae, Mosquito-borne, as affecting Cattle, 260–1
Dermatobia noxialis, Cattle-Infesting, U.S.A., 260
Fleas, *see under Names*
Flies, *see also under Names*
Flight-range of, 194
as Probable Spreaders of Infectious Equine Anaemia, 61, 193
Risk of Introduction of, 193
Fly-Survey, proposed ; India, 156
Gastrophilidae (Bots)
Action on, of Carbon Bisulphide, **134,** 136

Entomology—*cont.*
Gastrophilus, Species found in South Africa, Toxicity of, 40
equi, U.S.A., 193
Larvae and Equine Infectious Anaemia, Relation between, **247**
Transmission, Experimental, by, of Equine Pernicious Anaemia, **41, 147**
Glossina (Tsetse-Fly)
Animal Hosts, 181
Bionomics, **180**
Breeding-places, 118–19, 180, 181
Diminution of, after Rinderpest, 113–14
Distribution
Italian Somaliland, **111**
Nigeria, 166
Nyasaland, 170
Portuguese East Africa, 168
Southern Rhodesia, **115,** 168
Uganda, 112 *sqq.*, 171
Victoria Nyanza, Shores and Islands, 180–1
Factors inimical to, 181
Fly-belts in
Nigeria, 166
S. Rhodesia, 115 *sqq.*, 168
Grass-burning to get rid of, 114, 115
Habitat, Haunts, &c., 112, 115, 116 *sqq.*, 180, 181
Measures against, 114–15
Species referred to
brevipalpis, 118, 170
fusca, 171
morsitans
Breeding haunts of, 118
in relation to Ungulate Game and to Rinderpest, **112,** 113
pallidipes, 118
Biology of, **111**
palpalis, 113, 114
Bionomics, **180**
Wild Animals in relation to, 181
Haematopinus asini, Ova, of: Incubation Period of, **45**
Hippoboscidae, Parasitism of, 197
Horn-fly; U.S.A., recent arrival of, 193
Horse Bots, *see Gastrophilus equi, supra*
Horse-flies, *see also* Tabanidae, *infra*
Anthrax, spread by, 47
House-fly, *see Musca domestica, infra*
Hypoderma bovis, Australian Precautions as to, 194
Control, essential, 221
Introduction to Southern U.S.A., 193–4

Entomology—*cont.*
Insects Attacking Animals, 193
in relation to Animals, Problems of, 195
Economic Losses caused by, 192
Introduction of Species, risks from, 193
Relation of, to
Parasitic Diseases in Stock, **195, 198**
Production of Live Stock and Poultry, **193**
Transmitting Disease
Losses due to, 192
Methods, 193
Numbers, 193
Range, 194
Species, 193, 194, 195
of U.S.A., Indigenous and Imported, 193
Species against which Regulations exist, 194
Janthinosoma lutzi, attacking chiefly White Cattle, Venezuela, 260–1
Latrodectus mactans or Lucacha; Peru: Morphology and Poison of; Diagnosis and Treatment, **90**
Lice, *see also* Anoplura, *and Haematopinus, supra, and* Pediculi, *and Trichodectes, infra*
of Domestic Mammals and Fowls, U.S.A., 193
Eradication of, 195
Species infesting Horses, 45
Locusts, in relation to Geeldikkop, 339
Secretions of, Ruminant-Intoxication by: Palestine, **91**
Lucacha, *see Latrodectus mactans, supra*
Melophagus ovinus, Infections conveyed by, to Mice, **17**
Life-History, **195**
Mexican Boll Weevil, 187
Mites, *see* Acarinae, *supra*
Mosquitoes
Plasmodium relictum in, Cold as Influencing Development of, **120**
Not Pathogenic to the Mosquito, **120**
Probably not usually Transmitters of Swamp Fever, 146
in Venezuela, 176
Musca domestica
Cestodes of Chickens Transmitted by, 19, 20
Flight-range of, 194
Habronema sp. Transmitted by, 22, 25, 199, 200, 202, 204, 220

Entomology—*cont.*
Musca domestica—*cont.*
Transmission by, of *Davainea tetragona* to Fowls, 19
Musca nebulo
Intermediate Host of *Oxyuris* sp., 22
Nose-fly, 194
Oestridae
African, Inventory of a Collection of, **42**
Oestrus interruptus, n. sp., in Antelopes; Africa, 42
Ox-Warble, *see Hypoderma bovis, supra*
Phlebotomus-Flies, Herpetomonad of, Boils resulting from Experimental Inoculation with, 297
Pigeon Hippoboscid, 194
Pycnosoma albicans (Screw-worm), Larvae of, Bovine Myiasis due to, 280
Red-tailed Bot-fly in U.S.A., recent arrival of, 193
Screw-worm Flies, *see* also *Chrysomyia macellaria, and Pycnosoma albicans, supra*
Myiasis in Cattle due to, 278, 280
Screw-worm Infestation
Prophylaxis
Carcass Destruction, 195
Restrictive Regulations, 194
Sheep Louse-Fly, **195**
Sheep-Tick, *see Melophagus ovinus, supra*
Spiders, *see Latrodectus mactans, supra*
Stable-Flies, *see Stomoxys calcitrans, infra*
Stomoxyd, Believed to Transmit Gobiat, 111
Stomoxys
Distribution
U.S.A., 193
Venezuela, 176
calcitrans
Habronema Harboured by, 200, 201, 202, 204, 220
Probable Vector of Swamp Fever, 146
in relation to Swamp Cancer of Horses, 24
Transmission by, of *Hymenolepis carioca* to Fowls, 20
Trypanosoma congolense Transmitted by, 106
Tabanidae
Distribution
Egypt, 274, 275

Entomology—*cont.*
Tabanidae—*cont.*
Distribution—*cont.*
Nyasaland, 170
South Africa, 47
Venezuela, 176
Species referred to
ditaeniatus, 274
septentrionalis, 146
taeniola, 274
unidentified, 112
Transmission by, of
Anthrax, 47
Swamp Fever, 146
Trypanosomiases, 112, 163, 170, 273, 274, 275, 286
Termites, as Intermediary Hosts of *Filaria gallinarum*, n. sp.: Orange Free State, **18**

Ticks
Coloration in, **139**
Diseases Spread by, or due to, *see* **Anaplasmosis :** Babesiasis, Canine, *under* **Piroplasmoses : Haemoglobinuria,** Canine: **Louping-Ill : Malignant Jaundice,** Canine : **Spirochaetosis,** Bovine : Theileriasis *under* **Piroplasmoses**
Cold Destructive of, 193
Distribution
Africa
Northern, 4
South, 98, 193
Argentina, 97
Brazil, 98, 99
China, 186
France, 4, 98, 99
Germany, 6
India, 186
Macedonia, 11, 12
Mitylene, **195**
Nyasaland, 169
Roumania, 10
South America, 193
Southern Rhodesia, 167
U.S.A., Southern States, 193
Venezuela, 310
" Domestic " (*Ixodes hexagonus*) : France, 4
Economic Losses due to, 191, 215
Eradication Methods, *see also* **Dipping**
in Southern U.S.A., **186**
Spraying: Egypt, 276
Infectivity of those carrying Canine Babesiasis, **3**
Duration of, in Parents and Daughters, 5

Entomology—*cont.*
Ticks—*cont.*
Experiments on, as Transmitters of Canine Piroplasmoses, **98**
Regeneration in, of Mouth-parts and Legs, **140**
Genera and Species referred to
Behaviour of the Sexes in Certain, **42**
Carrying Piroplasmosis of Horses; Experiments on, 6 *sqq.*
German, in Relation to Introduction of Equine Piroplasmosis, 6, 12
Infesting
Cattle, U.S.A., 193
Dogs, 3 *sqq.*, **98**
Horses, 6 *sqq.*
Spreading Louping-Ill, Duration in, of Infectivity, **44**
Wild (*Dermacentor reticulatus*), France, 3, 4
Amblyomma, 42 *sqq.*, 97, 99, 139, 140, 141
Aponomma, 140
Argas, 140
Boophilus, 5, 11
Boophilidae
Development and Biology of, **310**
Dermacentor, **3,** 10, 11, 98, 139, 140
Fowl, 194
Haemaphysalis, 3, 10, 11, 98, 99, 141, 170
Hyalomma, 11, 42 *sqq.*, 140, 141, 195, 280
Ixodes, 3, 10, 11, 44, 99, 140, 141, 195
Ixodidae, **42**
Margaropus, **99,** 101
Ornithodoros, 44
Rhipicephalus, 3, 4, 10, 11, 42 *sqq.*, 98, 139, 186, 195
Spinose Ear, 193, 194
Spotted Fever, 194
Striped-Legged, 280
Winter, or Elk, 195
Trichodectes, Species infesting Horses, 45
Tsetse-Flies, *see* Glossina, *supra*
Wool-Maggot-Fly, Economic Losses due to: Australia, 221

Ephemeral Fever or Three-Days' Sickness of Cattle: Southern Rhodesia, 168

Epithelioma Contagiosum of Fowls; French Guinea, 62

Epizootic Lymphangitis, *see* **Lymphangitis, Epizootic**

Equine Infectious Anaemia, *see under* **Anaemia(s)**

Equines, *see* Asses, Horses, Mules, Zebras, &c. N.B.—When Equines only are referred to, the subject is indexed under **Horses**

Erysipelas, Swine, *see* **Swine Erysipelas**

Eye-affections due to *Thelasia leesei*, in Egyptian Camels, 275

Felidae
Diseases of
Feline Typhus, 157
Rabies, 150, 271
Parasites of
Anoplura, 312

Filariases, *see under* **Helminthology**

Filterable Viruses, Diseases due to, 55–62, 143–54, 235–58, 325–9

Foot and Lip Disease: Egypt, 272

Foot and Mouth Disease, 248
Animals affected
Cattle, **153,** 157, 158, 164, 166, 171, **248, 253,** 272
Tongue Lesions of, Nature of, **153**
Sheep, 248
Swine, 248
Aphtisation-Experiments, 252–3
Apoplectic Form in Cattle, 248
Bleb of, compared with that in other Diseases, 154
Immunisation Experiments, 250
Incidence
Argentina, 253 *sqq.*
Belgium, 249
Ceylon, 164, 270
Cyprus, 272
Egypt (Port Said), 272
Europe, Western and Southern (epizootic, 1919–20), 248
France, 153
Epizootic, 1920, 248
India, 157, 158
Italy (epizootics, recent), 249
Nigeria, 166
Sudan, 272
Uganda, 171
Mortality, 248
Prophylaxis
Immunisation by Serum, 250–2, **253**
Recurrence of, at Short Intervals, 248–9
Septicaemic Form, 249, 253

Foot and Mouth Disease—*cont.*
Treatment
Drugs Experimented with, 250
Methods employed
Hydrogen-peroxide Injections, 249–50
Internal Antiseptics, 250
Virulence in, of Bovine Blood, 249

Fowl Cholera : Nyasaland, 170

Fowl Diphtheria, 62, 242
Bacillus isolated from, 62
Incidence
Egypt, 272
French Guinea : Konakry, 62
Specificity of, 243

Fowl Pox and Fowl Plague
Cultivation unsuccessful, 241, 242
Relationship of, with Fowl Diphtheria, Stomatitis Pustulosa Contagiosa Equi, and Vaccinia, **242**
Study on, **239**
Transmission Experiments, with Mammals, 243, *sqq.*
Virus of
Bile Destructive of, 243
Filterability of, 240
Heat for Destroying, 240, 241
Immunity Reaction Experiments, 245
Nature of, 240
Vaccination with, 241–2

Fowl Spirochaetosis, *see* Spirochaetosis, Avian

Fowls
Bats molesting : Venezuela, 261
Diseases of, *see* **Fowl Cholera, Fowl Diphtheria, Fowl Pox**
Avian Spirochaetosis, 194, 272
Tuberculosis, 172
Epithelioma contagiosum, 62
Gapes, 134
Polyneuritis, **82**
Insects Infesting, 193, 194
Anoplura, 311, 312
Parasites of
Cestodes, Insects Transmitting, 19, 20
Choantaenia infundibuliformis, 20
Davainea
cesticillus, 20
proglottina, 20
tetragon, **19**
Filaria gallinarum, n. sp., **18**
Hymenolepis carioca, **19**

Gall-Sickness, *see* **Anaplasmosis,** Bovine

Game : Ungulate
Diseases of
Rinderpest, **112,** 170, 171
Glossina morsitans in Association with, **112**

" Gapes," in Fowls : Causal Helminth, 134

Gastritis, Helminthic
in Calves ; Parasite Causing, 163
in Sheep, 26, 302, 350

Gastro-Enteritis, in Cattle : South Africa, 305

Geeldikkop, in Sheep : South Africa, 338
Seasonal Incidence, 338
Treatment by
Change of Pasture, 341
Purgatives, 341

Gift-ziekte, *see* **Anthrax**

Giraffes : *Fasciola gigantica* in, 207, 208

Glanders, 278
Death from, of A. W. Shilston, 158
Diagnosis of
Complement Fixation Test in, Value of, **321**
Differential, from Ulcerative Lymphangitis, 54
Mallein Test, 324, **319,** 320 *sqq.*
Extension, Proposed, of Glanders and Farcy Act (India) to Camels, 156
Incidence
Egypt, 271
India, 156
South Africa, 314
Nodules in, 314, 315, **317**

Goats
Diseases and Affections of
Anaplasmosis, **1, 95**
Anthrax, 47, 50, 142, 164
Contagious, 158
Pleuropneumonia, 89
Pox-like, Chronic Infection, **90**
Scabies, 165, 172
Trypanosomiasis, 106
Tuberculosis, 168
Export of, from India, 156, 164
Insects Infecting, 195
Anoplura, 311
Intoxication of, by Locust-Secretions, **91**
Parasites of
Fasciola gigantica, 207, 208
Gongylonema scutatum, 275
Strongylus sp., 217
Tapeworms, 166

Gobiat, *see under* **Trypanosomiases**

Granuloma, Habronemic
in Horses, **21,** 199, **202,** 205, 220
Incidence
Argentina, 202
Australia, 21, 199, 202
U.S.A., 220
" Leeches," probably Identical with, 220
Prophylaxis, 203, 204
Treatment, 205, 220

Guinea Pigs
Experimental Inoculation of, with Cultures of Insect Herpetomonads, **297,** 298

Gumul, *see* **Gobiat,** *under* **Trypanosomiases**

Habronemiasis, Cutaneous, *see* **Granuloma, Habronemic**

Habronemic Abscesses: in Horses, 199, 202, 205–6

Habronemic Granuloma, *see under* **Granuloma**

Haemoglobinuria
Bovine, in Chili; Spirochaetes in, 101
Canine
Causal Agent, 3
Seasonal Incidence, 4

Haemorrhagic Septicaemia, *see* **Septicaemia, Haemorrhagic**

Hares, *Fasciola gigantica* in, 208

Heart-water, in Cattle: South Africa, 305

Helminthology
Diseases
Ankylostomiasis
Animals Affected
Dogs, **134**
Sheep, 217
Incidence: U.S.A., 217
Parasites
Ancylostoma and *Uncinaria*, 217
Prophylaxis, 217
Treatment
Chloroform in Castor Oil, 134–5
Ol. Chenopodium, 134, 217

Ascariasis
Bovine, Northern Rhodesia, **312**
Treatment
Cooper's Dip Tablets, 313–14

Helminthology—*cont.*
Diseases—*cont.*
Ascariasis—*cont.*
Canine
Prophylaxis, 219
Treatment, 219
Parasite
Ascaris
Action on, of Ol. Chenop. and Chloroform, **134**
Animals Harbouring, in U.S.A., 218–19
Biological Relationships of, **210**
Eggs of, Resistance of, **210**
Larvae of, Migrating Course of, in Host's Body, **20**
lumbricoides, Life-History of, **20**
lumbricoides and *suilla*, Attempt to Differentiate, 210
suilla, Feeding Experiments with 20
vitulorum, 312
Porcine, 218
Treatment by
Castor Oil, 219
Santonin, 20

Distomiasis
Bovine: Southern Rhodesia, 280
Treatment by Male Fern, 280
Parasites
Distomes
Hosts of
Mollusc, 206, 207
Vertebrate, 206, 207–8
Life cycles of, work on, 209

Filariasis and Microfilariasis
Animals affected by
Antelopes, 126
Baboon, 129 *sqq.*
Camels, 275
Cattle, 213, 275
Fowls, **18**
Horses, **26, 126**
Canine Piroplasmosis Mistaken for, 186
Incidence
Egypt, 272
French West Africa, **126**
Japan, **25**
Parasites
Filaria and Microfilaria
gallinarum: South Africa, **18**
lachrymalis, 275

Helminthology—*cont.*
DISEASES—*cont.*
FILARIASIS—*cont.*
Parasites—*cont.*
Loa loa, Differences between and *Loa papionis* of the Baboon, 129 *sqq.*
Loa papionis n. sp., of the Yellow Baboon, **129**
Thelasia leesei, in Camels: Pathogenicity of, 275
"Sunefuto," in Horses: Japan, **25**
Treatment
Effective
Tartar Emetic, 129
Atoxyl, and Atoxyl-Orpiment, 128–9
Orpiment, 128
Trypan blue, 128
Trypan red, 128

HABRONEMIC AFFECTIONS, of Horses
Abscesses, 199, 202, 205–6
Conjunctivitis, 21, 199
Granuloma, **21,** 199, **202,** 205, 220
Incidence
Argentina, 202
Australia, 21, 199, 202
U.S.A., Southern, 220
Transmission by Flies, 22, 25
Treatment, suggested, 226
Parasites of all Forms
Species found, in
Australia, 22 *sqq.*
India, 205–6
U.S.A., 220
Life History and Pathogenicity, 198 *sqq.*
Prophylaxis
Fly Control, 220
Manure Control, 220

HAEMONCHOSIS, or Verminous Gastritis of Sheep, 166, 212, 302,
Chemotherapy of, **26**
Safe Dose in, of Arsenious Oxide, 350
Incidence
French Upper Guinea, 212
Nigeria, Southern, 166
Parasite
Haemonchus contortus, 26, 166, 212, 302, 350
Prophylaxis and Treatment, 216–17

HELMINTHIC NODULES, in South African Equines, 315, **318**

Helminthology—*cont.*
DISEASES—*cont.*
LIVER-FLUKE, *see that head.*

OESOPHAGOSTOMIASIS INTESTINALIS
Bovine, 36, 212, 215
Incidence, all Animals
Brazil, **36**
France, 215
French Guinea, 212
U.S.A., Southern, 217
Ovine, 212, 217
Intussusception due to, 92
Parasites associated with
Oesophagostomum sp., 217
columbianum, 92, 212, 302
dentatum, 213
radiatum, **36,** 212
Porcine, 213

ONCHOCERCOSIS
Bovine, in
France, 215
Madagascar, **213**
Parasite
Onchocerca bovis, 215

PARASITIC, in relation to Live-Stock Industry; Southern U.S.A., **215**

SARCOSPORIDIOSIS, in relation to Lamziekte, **1302**

SCHISTOSOMIASIS, in Dogs: China, 184
Parasites
Schistosoma
Hosts of
Mollusc, 206
Vertebrate, 206
Pathogenicity, 206
japonicum, in Dogs, 184

STRONGYLOSIS
Bovine, Ovine and Porcine, 217
Equine, U.S.A., 143 *sqq.*, 219–20
Parasites of
Strongylus sp.
Immature in Equine Anaemias, 143–4
asini, n. sp., 131, 132
edentatus, in Horses; F.W. Africa, 211
Site of Preference, 219
equinus, Site of Preference 219
vulgaris, in Equines, 212
Pathogenicity, 219
Prophylaxis, 217
Treatment, 217–18, 220

GENERAL REFERENCES
Anthelmintics, **134,** *sqq.*, *see also under* **Drugs**
Fly-tight Manure Bins, 220

Helminthology—*cont.*
GENERAL REFERENCES—*cont.*
Helminth Injections, Infected, Transmission Experiments with, 17, 144–5, 297, 298
Maggot-traps, 220

PARASITES, other than those grouped with DISEASES above
Distribution of, in Brazil (Rio Grande do Sul), **36**
Amphistoma in
Cattle ; Madagascar, 212
Cattle and Sheep ; South Africa, 208–9
Ancylostomum(a)
Clinical effects, 217
caninum, in French Guinea, 23
Belascaris mystax, in Cats, 213
Bilharzia, South African Species, 209
Cercaria pigmentosa, Vertebrate Host of, 206
Cercariae and Snails, 206, **208**
South African, Experimental Determination of Vertebrate Hosts of, **206**
Choantaenia infundibuliformis, Transmitted by *Musca domestica*, 20
Craterostomum tenuicauda n. gen. n. sp., 132
Cylicostomum, in Equines (Asses, Horses, Zebras)
Incidence
French West Africa, 21
U.S.A., Southern, 219
Zanzibar, 132
Species Named from Zanzibar, 132, 133
New
adersi, 132
montgomeryi, 132, 133
zebrae, 132
Cysticercus tenuicollis in Sheep, 213
Davainea
cesticillus, Transmitted by *Musca domestica*, 20
proglottina, of Chickens, Slug-transmitted, U.S.A., 20
tetragona of Fowls : Life History of, **19**
Dioctophyme renale (*Eustrongylus gigas*) in
Dogs, U.S.A., **137**
Other Animals, 138
Fasciola gigantica
Animals Harbouring, 170, 207, 208, 212, 213, 220

Helminthology—*cont.*
PARASITES—*cont.*
Fasciola gigantica—*cont.*
Hosts of
Intermediate, 207, 209, 221
Vertebrate, 170, 207–8
Life History, 207–8
hepatica
Animals harbouring, 209, 220, 221
Prophylaxis, 221
Test for, suggested, 209
Treatment, 221
Gastrodicus aegyptiacus, Animals harbouring, 212
Gastrophilus Larvae ; Intoxication by, **36**
Gastrothylax, Animals harbouring, 212, 213
Gongylonema scutatum, in Egyptian Camels, 275
Gyalocephalus in Horses, 219
Haemonchus contortus, in Sheep, *see* HAEMONCHOSIS, *supra*
longistipes, Camel Dysentery due to, 275
Hookworms (*see also Ancylostoma, supra, and Uncinaria, infra*), 217
Hymenolepis carioca, of Fowls, Life History of, **19**
Liver-Fluke, *see Fasciola gigantica*, and *hepatica, supra*
Lung-worms, *see Strongylus* spp., *infra*
Monostomes of Amphibia, 206
Nematode
New in Fowls, with Termite as Intermediary Host, **18**
Unnamed, causing Gastritis in Calves, 163
Oxyuris
Development of, in *Musca nebulo*, 22
in Horses with *T. dimorphon* Infection, 128, 129
equi : F. West Africa, 211
Paramphistomum cotylophorum (probably) in Humpless Cattle, Animals harbouring, 212
Sclerostoma of Asses : Zanzibar and East Africa ; List, **131**
Setaria sp. in Antelopes, 213
digitata, in Zebus, 212
Species found (with Hosts), in French Upper Guinea, **211**
Spiropterous Worms in Horses' Stomachs, 202
Stomach Worms of Sheep and Cattle, 216

Helminthology—*cont.*
PARASITES—*cont.*
Stomach Worms—*cont.*
Prophylaxis and Treatment, 216–17
Syngamus laryngeus, in Cattle and Buffaloes: India, 133, **163**
trachealis; Cause of Gapes in Birds, 134
Tapeworms of Sheep and Cattle, 221
Tragelaphus scriptus, 213
Trematodes, South African in relation to Disease, 208
Tricocephalus, in Sheep, 212
affinis, in Zebu, 212
Triodontophorus, 219
tenuicollis, in Equines, 143, 219
Uncinaria, Animals harbouring, 217
Wireworms, *see Haemonchus contortus, supra*
of Zebras: East Africa, **131**, 132
List, 132–3

Hepatitis, Parenchymatous, in Horses, **63, 67,** *see also* **Senecio Disease,** *and* **Senecio Poisoning**
Experiments on, 67–8

Hermosura, *see* **Desrengadera,** *under* **Trypanosomiases,** EQUINE

Hog Cholera, Swine Fever, or **Swine Plague**
Ascariasis, complicating Diagnosis of, 218
Immunity-Duration after Simultaneous Inoculation of Young Pigs, **239**
Lesions of, resembling those of Swamp Fever, 143
Transmission by Insects, possible, 193

Hookworm Infection, *see* ANKYLOSTOMIASIS, *under* **Helminthology**

Horse Sickness
African: Differential Diagnosis of, 10
Animals affected by
Horses, 41–2, **152,** 168, 169, 278, 279, 302, 325, 338
Mules, 153, 168, 169
Experimental, Induced by Watery Extract of Bots, 41–2
Incidence
Geographical
Abyssinia, 153
British East Africa, 152

Horse Sickness—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Eritrea, 152
Italian Somaliland (Dunkop form), **152**
South Africa, 152
Southern Rhodesia, 168, 169, 278, 279
Season, 338
Infectious Equine Anaemia Mistaken for, 326
Paralysis of Oesophagus, as Sequel to, **328**
Prophylactic Inoculation, 169, 279, 325
Sequelae, **63,** 326

Horses
Bats Molesting: Venezuela, 261
Breeding of: India, 155, 157
Diseases and Affections of
Acute Liver-Atrophy, *see* **Staggers**
Anaemia
Infectious (Pernicious, Swamp Fever), **41, 59, 60, 143, 145, 146, 147,** 193, **247,** 294, 302, **325**
Verminous, 143,
Anthrax, 46, 47, 50, 164
Bursattee or Bursati, 25, 272
Climatic Typhus, 153
Contagious Abortion, 143
Contagious Impetigo (probable), 233
Dermatitis, Associated with Microfilariasis, 128
Dourine, **283,** 284, 302
Dunziekte, 65, 326, 331, 333
Epizootic Contagious Catarrh, **329**
Filariasis and Microfilariasis, **25, 126**
Glanders, 27, 54, 156, 271, 278, 314, 319, **320**
Habronemic Abscesses, Splenic and Stomach, 199, 202, 205–6
Granuloma, 21, 199, **202,** 205, 220
Marasmus, **205**
Haemorrhagic Septicaemia, **53**
Horse-Sickness, 41–2, **152,** 168, 169, 278, 279, 302, 325, 328
Dikkop form, 328–9
Paralysis of Oesophagus after, **328**
Influenza Catarrhalis, 330
Light form (Hoare's), 330
Jagziekte, **341**
Lameness, 301
"Leeches," 25, 220
Loco-Poisoning, 302

Horses—*cont.*
Diseases and Affections of—*cont.*
Lymphangitis
Epizootic, 55, 166, 223, 271, 278, 279
Ulcerative, **54** *bis.*, 171, **221, 225**
Mal de Caderas, 176, **181,** 287
Mange, Sarcoptic, 310
Milk Leg, or Big Leg, 25
Nodes and Nodules in Lungs, **314**
Nuttalliasis, **6,** 99, 272, 288, 302, 351
Osteoporosis, **258**
Parenchymatous Hepatitis, **63, 67**
Pruritus, due to Eating St. John's Wort, 259, 260
Rabies, 150, 271
Schweinsberger Disease, 331, 333, 334
Senecio Poisoning, 63, 67, 331 *sqq.* **336**
Staggers, 326, 327, 332
Acute (Malziekte), **63**
Chronic (Dunziekte), 65
Stomatitis, Contagious Pustular, 242, 246
Strangles, 330
Strongylosis, 219, 220
" Sunefuto," **25**
Swamp Cancer, 24–5
Toxaemia, 302
Trypanosomiases, 102, 105, 156, 158, 166, 175–6, 181–2, *see also* Dourine, & Mal de Caderas, *supra*
Trypanosoma dimorphon Infection, **103**
Winton Disease, 333
Insects Infesting, 6 *sqq.*, 45, 194
Parasites of
Cylicostomum spp., 211
Filaria, 126
Gastrodiscus aegyptiacus, 212
Gastrophilidae, 36 *sqq.*
Gyalocephalus, 219
Habronema, 198 *sqq.*
Leeches, **36**
Oxyuris, sp., 128, 129
equi., 211
Sarcosporidia, **301**
Spiropterous Worms, 202
Strongylus sp., 143 *sqq.*, 211, 219, 220
edentatus, 211, 219
equinus, 219
vulgaris, 212

Impetigo, Contagious
Animals Affected
Antelopes, 233
Cattle, **232**

Impetigo, Contagious—*cont.*
Causal Organism, 232, 233–4
Diagnosis, 234
Parasite believed to Cause *Dermatophilus congolense*, 233–4
Prophylaxis, 234
Treatment, 234
Equine (probable), 233

Indigestion, Acute, in Cattle: South Africa, 305

Infectious Anaemia, *see under* **Anaemia(s)**

Influenza Catarrhalis, Equine, 330

Influenza, Equine, Light form of, Hoare, 330

Intussusception, in Sheep: South Africa, **92**

Jagziekte, in Horses: South Africa, **341**

Jaundice, Malignant, in Dogs, Causal Agent, and Spreader, 3,98

Johne's Disease, in Cattle: India, 163

Laboratories, Work of, *see* **Reports**

Lahtia (Camel Disease); Egypt, 275

Lameness, in Horses: Sarcosporidia in relation to, 301

Lamziekte
Bovine, **68,** 261, 302
Considered as Food-Deficiency Disease, 69
Experiments to test, 74–5
Equine, **36,** 302
and Human, **36**
Etiology, **261,** 307
Experimental Work on, **71, 72, 73, 74,** 75
Incubation Period, 70
Post-mortem Findings, 71
Prophylaxis, **261,** 269
Sarcosporidiosis in relation to, **302**
Soil and Vegetation in relation to, 69, 72, 73
Three Forms of, 70
Transmission, Experimental, 75–6
Treatment: Drugs, &c., tried: Results, 77

Leeches
Limnatis africanus, Newly-recorded species: West Africa, **36**
Medicinal, as Transmitting Mal de Caderas, **181**

"Leeches"; Equine Disease in North America, 25

Live Stock
Egyptian: Statistical Report on, 1916–17, 272–3
Plants affecting, *see under* **Botanical References,** *and Names of Animals*

Liver-Atrophy, Acute, in Horses, **63,** *see also* Staggers
Experiments in Transmission, &c., 65–6
Post-mortem Findings, 64
Symptoms, 65

Liver Cirrhosis, *see* **Dun ziekte,** and **Senecio Disease**

Liver Fluke Disease
Nyasaland, 170
South Africa, in Sheep, 209
Prophylaxis, 209

Liver-rot, in Cattle and Sheep: Blood-Test for (suggested), 209

Loco-Poisoning, of Cattle and Horses, 302

Louping-Ill
Ticks spreading, Duration in, of Infectivity, **44**

Lymphadenitis, Ovine, Caseous; Egypt, 272

Lymphangitis
Epizootic
Animals affected
Horses, 166, 223, 271, 279
Mules, 278
Experimental, Equine, 55
Incidence
Egypt, 27
Nigeria, 166
Rhodesia, Southern, 278, 279
Mallein Test to Differentiate, 224
Parasite associated with
Cryptococcus farciminosus, Cultivation of, **55**
Treatment, 223
Ulcerative
Equine, 171, **221**
Bacteriological Findings in, 54
Causal Organism discussed, 54
Differentiation of, from Glanders, 54
[Experiments on] in reference to Immune Sera, Toxin, and Anti-Toxin, **225**

Lymphangitis—*cont.*
Ulcerative—*cont.*
Incidence
France, in American Forces, **54** *bis*
Uganda, 171
Parasite associated with
Preiz-Nocard Bacillus, 222, 223–4
Immunity to, 222
Pathogenicity, 222
Toxin of, Experiments on, 226–7
Virulence, Variations in, Strains, 225
Prophylaxis, 224
Treatment by
Bacteriotherapy, 223, 224
Haemotherapy, and Iso- and Auto-Haemotherapy, 223
Pyotherapy, 223
Rest, 224
Serotherapy, 223–4
Toxinotherapy, 224
Vaccinotherapy, 55

Mal de Caderas, *see under* **Trypanosomiases**

Malaria, in
Birds
Due to *Plasmodium relictum,* **120**
Infectivity of the Blood in, 120–1
Buffalo: India, 14, 163
Parasites of, *ib.*
Plasmodium bubalis suggested as name for, 16
Duiker: Parasites of, 15

Malta (Undulant) Fever
Egypt (1917), 272

Malziekte, *see* **Staggers,** Acute

Mange
in Camels and Dromedaries, 275–6, 285, 308
Treatment, 275–6, by
Colocynth Tar, **138**
Guetran, **308**
Petrol with Carbon Bisulphide, **308**
Demodectic, in Cattle
Nyasaland, 169
Rhodesia, 169
Northern, 232, 233
in Domestic Animals, Control of, **309**
Parasitic, in Camels: Egypt, 275
Prophylaxis
Dips or Baths, 309, 310

Mange—*cont.*
Psoroptic, Bovine: Northern Rhodesia, 232
Sarcoptic, Equine, Morocco: Treatment, 310

Marasmus, Equine (Habronemic): India, **205**

Marmots, Experiments on, with Rabies hoped for, 58

Maw Worms, *see* Ascaris, *under* Ascariasis *in* **Helminthology**

Meade de Sangre, *see* **Haemoglobinuria, Bovine**

Metazoan Parasites, Diseases due to (*see also under Names*), 18–46, 126–41, 192–221, 308–14

Metritis, Septic, in Cattle; South Africa, 305

Mice
Diseases of
Experimental
Infections Produced by Insect Flagellates, **17,** 297, 298
Trypanosomiasis, 108
Sarcocystis muris of, 299

Milk Leg or **Big Leg,** in Horses: England, 25

Miscellaneous, 63–93, 154–5, 258–70, 329–52
Intussusception in Sheep: South Africa, **92**
Pox-like Infection in Goats: California, **90**

Mollusc Hosts of
Davainea proglottina, 20
Fasciola gigantica
Destruction of, 290
Species in U.S.A., undetermined, 22

Molluscs
South African, Cercariae of, **206, 208**

Molteno Disease, *see* **Senecio Poisoning**

Monkeys
Parasites of
Leeches, 36
T. venezuelense, 177

Mules
Diseases of
Anthrax, 47, 50
Epizootic Contagious Catarrh, **329**

Mules—*cont.*
Diseases of—*cont.*
Lymphangitis, 278
Horse-Sickness, 153, 168, 169
Surra, 158, 175, 177
Trypanosomiases other than Surra, 175, 177
T. dimorphon Infection, **103**
Parasites of
Helminthic, 212

Murrina, *see under* **Trypanosomiases**

Mycology
Experiments in, **235**
Fungi referred to
Claviceps paspali, Ergotism due to, 344
Cryptococcus farciminosus, Cultivation of, **55**
Diplodia zea in Maize, Paralysis in Cattle due to, 345
Oidium brasiliense, Action on, of Iodides, 235

Mycotic Disease, 55

Myiasis
in Cattle: Southern Rhodesia, Prophylaxis and Treatment, 278, 280

Nambi-uvu, Canine Proplasmosis of Brazil, due to *Rangelia vitali*, 99

National Collection of Type Cultures, 173–4

Nodes and Nodules in Lungs of Equines: South Africa, 314
Microscopic Aspect of, and Differential Diagnosis, 317

"Nodular Disease" of Bovines, due to *Oesophagostomum radiatum*: Brazil, **36**

Nodular Worms, *see Oesophagostomum* spp., *under* **Helminthology**

Oedema, General, in Cattle: South Africa, 305

Oestophagia in Cattle: South Africa, 262, 265 *sqq.*

Oidiomycosis
Causal Fungus, 235
Action on, of Iodides, 235
Pulmonary
Action in, of Iodides, 235

Oils, *see under* **Drugs**

Onchocercosis, *see under* **Helminthology**

Ophthalmia
Bovine
Incidence
Ceylon, 164
Nyasaland, 170
Treatment, 170

Opossum : *T. venezuelense* Infection in, 177

Osteoporosis, Equine : New Caledonia, 258

Ostriches, Anthrax in, 48, 49

Paralysis in Cattle Feeding on Maize Infected with *Diplodia zea* [South Africa], 345
Prophylaxis, Harvesting of the Plant cobs, 347
Treatment by Purging, 347

Parenchymatous Hepatitis, in Horses, **63, 67**

Pericarditis, Traumatic, in Cattle ; South Africa, 305

Peste Boba, *see* DESRENGADERA, *under* **Trypanosomiases**

Peste dos Poimoes, *see* **Abscess Plague**

Pica in Cattle 262, 264 *sqq.*
Treatment, 267–8

Pictou Disease, *see* **Senecio Poisoning**

Pigs, *see* **Swine**

Piroplasmoses, PIROPLASMOSIS or BABESIASIS, NUTTALLIASIS, THEILERIASIS, *&c.*, including Redwater, and Texas Fever
Anaplasmosis associated with, 97,

BABESIASIS
BOVINE, 167, 168, 169, 178, **183,** 193, 272, 277, 281, 345
Diagnostic Methods, 183
Prophylaxis, *see also* Tick Eradication, *and* Dipping, 186 *sqq.*, 281
Transmission by Ticks, 186 *sqq.*

CANINE, 170
Clinical and Histological Study, **184**
Ticks Transmitting, 3, 98, 186
Disease resembling, in Calves and Sheep : Nyasaland, 169

Piroplasmoses—*cont.*
BABESIASIS—*cont.*
EQUINE, *see also* NUTTALLIASIS *infra*
Parasites of, see *Babesia caballi, and Nuttallia equi,* infra
Differential Diagnosis, 10
Experiments on, **6**
Prophylaxis, 10
Symptoms and Course, 9
Treatment, Experiments in, 10–11

OVINE, 272
Incidence : All forms, in all Animals affected
Geographical
Africa, generally, spread of, southwards from Portuguese East Africa, 295
Egypt, 272
France, 3, 98
India, 3, 186
Macedonia, 6 *sqq.*
Nyasaland, 170
Rhodesia, Southern, 167, 169, 276–7, 279, 281
Rumania, 8, 10
Russia, Southern, 9, 11
South Africa, 98, 288, 294 *sqq.*
Tunis, 89
U.S.A., Northern, **193**
Seasonal, 4, 5
Insect Vectors (*see also* Ticks, *under* **Entomology**), 6 *sqq.*

NUTTALLIASIS (*see also* BABESIASIS, EQUINE, *supra*), **6,** 99, 272, 302.
Causal Agent, 288
Mistaken for Infectious Equine Anaemia, 326
Spontaneous Recovery, 294
Symptomatology and Morbid Anatomy, 8–9
Treatment by Drugs, **288,** 294, 351, Table, 290–3
Completely Ineffective, 326

Parasites associated with all Forms,
Babesia or Piroplasma
Affinity for Internal Organs, 183–4
Thick Film Method of Staining, for Diagnosis, **182**
argentinum, **3, 5,** 99, 100
bigeminum, 99, 100
Developmental forms of, 1–2
Ticks spreading, 5
caballi, 6, 288
canis, 99
Diseases due to, 3
Multiplication of, locale of, &c., 4–5

Piroplasmoses—*cont.*
Parasites—*cont.*
Babesia—*cont.*
divergens, 99
ovis, 99
Nuttallia equi, 6, 288
Rangelia vitali, 99
Prophylaxis: Dipping, *see that Head*
THEILERIASIS (East Coast Fever), 276–7
Diagnostic Methods, 183, 279
Initial Severity, 276
Mortality, 276, 277
Report on, of Select Committee of Union of South Africa, **492**
Prophylaxis recommended by, 296–7
Anti-Tick, 169, 276–7, 281, 295, 296
Control of Movement of Cattle, 295, 296, 297
Herd-Slaying, 295, 297
Treatment (*see also under* NUTTALLIASIS, *supra*), 168

Plague, Swine, *see* **Swine Fever**

Pleuro-Pneumonia, Contagious
Animals Affected by
Bovines, **55, 57,** 89, 165, 166
Gazelle, 89
Pig, 89
Coccus-like Bodies in Pulmonary Exudates of Animals Suffering from, **89**
Diagnosis of, in Cattle, by Complement-Deviation Test, **55**
French Colonial Regulations on, 57
Incidence: All Animals
Egypt, 272
Ex-German East Africa, 89
French Senegal, **57**
Gold Coast, 165
Italy, 89
Nigeria, 166
Prussia, 57
Prophylaxis and Treatment, **57,** 166
Prussian Order on, 57

Pneumo-Enteritis, Contagious, of Sheep, Egypt (1915) 274

Pneumonia
Differential Diagnosis of, from Equine Piroplasmosis, 10
Prophylactic Vaccine for, 163

Polyneuritis Avium in Fowls: Malaya, **82**
Relationship, Quantitative, between Antineuritic Value of a Diet, and the Onset of, **78**

Prairie Dogs: Susceptibility of, to Rabies, **58**

Preiz-Nocard Disease of Horses, *see* **Lymphangitis, Ulcerative**

Protozoology, 1–18, 95–126, 175–92, 283–308

PROTOZOAN DISEASES *see* **Anaplasmosis; Coccidiosis; Piroplasmoses; Sarcosporidiosis; Trypanosomiases**

PROTOZOAN PARASITES
Flagellates of Insects, and Infections produced by them in Mice, **17,** 297, 298
Haemosporidia, Showing Affinity for Internal Organs, 183
Hepatozoon perniciosum, 126
Herpetomonads of Insects, Experimental Infection with Cultures of, **297**
Herpetomonas ctenocephali
Infections Conveyed by, to Mice, **17**
Cultures of, Infection with, of Guinea-Pigs 298
phlebotomi
Experimental Infection of Dogs and Guinea-Pigs with Cultures of, **297**
Histomonas (Gen. Nov.) *meleagridis* [Synonyms of], **192**
Leucocytogregarines, Animals in which present, 123
Insect, Hosts of, 123 *sqq.*
Leucocytozoon canis, 123
ratti, 126
Sarcocystis muris, Life-Cycle of, **299**

Pseudo-Actinomycosis (Streptotrichosis) of Camels (New): Egypt, 275

Psoroptic Mange, *see under* **Mange**

Pulmonary Parasitic Nodules, in Horses with Summer Sores, 204

Purpura Haemorrhagica
Differential Diagnosis of, from Equine Piroplasmoses, 10
Relation to, of Equine Epizootic Catarrh of Respiratory Organs [South Africa], **329**

Quarter-Evil, *see* **Blackquarter**

Rabbits
Australian
Parasites of
Coccidial Oocysts, 121
Entamoeba cuniculi, **121**
South African, *Fasciola gigantica* Parasitic to, 208

Rabies
Animals affected by
Asses, 271
Buffaloes, 271
Cats, 150, 271
Cattle, 150, 271
Coyotes, 58
Dogs, **148,** 150, 270, 271
Horses, 150, 271
Pigs, 150
Sheep, 150
Wolves, 271
Diagnosis of, in Animals: Statistical Study for 1909–19, U.S.A., **148**
Dog-Disease resembling in West Africa, 148
Experimental in Prairie Dogs, **58**
Incidence: All Animals
Ceylon, 164, 270
Egypt, 271
Senegal, **148**
U.S.A., 148
Negri Bodies in, in reference to Diagnosis, 148 *sqq.*
Seasonal Prevalence, 150
Susceptibility to, of the Prairie Dog, **58**
Treatment by Pasteur Method, 270
Virus of, Inoculation of, into Circulating Blood of Guinea-Pig, **235**

Rag- wort Poisoning, *see* **Hepatitis, Parenchymatous,** *and* Senecio Poisoning

Rats
Diseases of
Sporotrichosis, 235
Trypanosomiasis, 108
Trypansomes of, 177
Wild: *Leucocytogregarina innoxia* of: Life-History, **123**

Redwater, *see* **Haemoglobinuria, Bovine,** *see also under* **Piroplasmoses,** Babesiasis, Bovine
in Cattle, 345
in Nyasaland, 169
Prophylactic Dipping, 169
Immunity to, as affected by, 167

Reports, 155–72, 270–81
British Guiana
Veterinary Division of Dept. of Science and Agriculture (1917), **164**
Diseases practically Extirpated from, 164
Ceylon: Acting Government Veterinary Surgeon (1919), 270–1
Chief Veterinary Surgeon (1918), **164**
Egypt
Veterinary (1916–17), 271–6
Pathological Laboratory, 273
Gold Coast: Veterinary Department (1918), **165**
India
Agriculture in, Progress of, for 1918–19, **155** *sqq.*
Muktesar, Imperial Bacteriological Laboratory (1918–19), **155,** 158 *sqq.*
Provincial Civil Veterinary Departments (1918–19), **155** *sqq.*
Nigeria, Northern and Southern: Veterinary Department (1918), 165
Nyasaland Protectorate Veterinary Division (1918–19), 169
Rhodesia, Southern: Chief Veterinary Surgeon and Veterinary Bacteriologist (1918 & 1919), 167, 276
Uganda: Chief Veterinary Officer (1918–19), 170

Rinderpest, 122, 152
Animals affected by
Buffaloes, 112–13, 170, 171
Hyper-susceptibility of, 239
Cattle, **58, 59,** 89, 152, 156, 157, 158, 165, 168, **236,** 237, **238,** 270, 271
Immunity conferred by one attack, **237**
Problem of, 59, 165–6
Immunisation by Bile, **236**
Incidence: All Animals
Anatolia, 58

Rinderpest—*cont.*
Incidence—*cont.*
Caucasus (endemic), 58
Central Africa (extension South checked), 168
Ceylon, 164, 270
Ex-German East Africa, 89, 170
French Indo-China, 158, 238, 239
French West Africa, 57, 58, 167, 236–7
French Soudan, 236, 237
Gold Coast, 165
India, 156, 157, 158
Burma, 157
Italian Somaliland, 59, 152, 238
Nigeria, 165
Nyasaland, 170
Philippines, 238
Podolia, 58
Senegal, 59, 237
South Africa (epidemic, 1896) 113, 114
Uganda, **112**
Mortality, 236–7, 238, 271
Problem of, **58**
Prophylaxis
Inoculation, 58, 59, 270
Double, 271
Methods
Schein's, **152**
Serum-alone, 159,
Serum-simultaneous, 156, 159, 161, 171
Virulent Blood Inoculation, 250–3
Results
Curative, 251
Preventive, 251
Vaccination, **238**
Regulations on, 157, 170, 171
Research on, 163
Treatment by Serotherapy, 271

Ringworm : Egypt, 272

Rockefeller Institute for Medical Research, and the Drug N-Phenylglycineamide - *p*-Arsonic Acid, 111

Rodents, *see also under Names*
Anoplura Infesting, 311
Experimental Trypanosomiasis in ; Action in, of N-Phenylglycineamide - *p*-Arsonic Acid, Toxic, Therapeutic, &c., **107,** 109

Round-Worm Infection, *see* Ascariasis, *under* **Helminthiasis**

Ruminants, *see under Names*

Sand, Ingestion of, Mortality among Camels due to : Egypt, 274–5
Treatment, 274

Sarcosporidial Tumours, so-called, in Sheep, 301

Sarcosporidiosis
Bovine : Brazil, 191
Parasites
Sarcocystis tenella
Locale in Oxen, 191
Morphology of, 191
Sarcosporidia, in Skeletal Muscles of Sheep and Horses : South Africa, **301**

Scabies or Scab
Animals affected
Dogs, 165
Goats, 165, 172
Sheep, 165, 172, 310
Dipping for, 310
Incidence
South Africa, 310
Uganda, 172

Schistosomiasis, *see under* **Helminthology**

Schweinsberger Disease of Horses, 331, 333, 334

Scrapie, in Sheep : Sarcosporidia in Relation to, 301, 302

Senecio Disease (Liver Cirrhosis) in Man : South Africa, **334**

Senecio Poisoning in Horses, **63, 67,** 331 *sqq.*, **336**
Incidence
Canada, 336, 337
England, 337
New Zealand, 336
Norway, 337
South Africa, 336, 337
Names for, in Different Countries, 336

Septicaemia
Haemorrhagic
Animals Affected by
Buffaloes, 272, **323**
Camels, 272, 273, 275
Cattle, 166, 272, 322
Horses, **53**
Sheep, **53,** 274
Causal Organism, 53

Septicaemia—*cont.*
HAEMORRHAGIC—*cont.*
Incidence: All Animals
Geographical
Egypt, 272, 274, 275
India, 156, 157
Morocco, **322**
Nigeria, 166
Syria, **323**
U.S.A., **53**
Season, 322, 323
Prophylaxis
Serum Inoculation, **159**, 160, 257
Research on, 163
Transmission by Insects, possible, 193
Treatment by Serotherapy, 53, 274
"SWINE": in Ceylon, 164, 271

Sheep
Breeding of: India, 155, 162
Condition of, Harmful Effects on, of Steek Grass, **82**
Diseases and Affections of
Anaplasmosis, **1, 95**
Anthrax, 46, 47, 50, 142, 164, 272
Ankylostomiasis, 217
Blackquarter, 281
Blue Tongue, 338
Caseous Lymphadenitis, 272
Coccidiosis, **14**
Contagious, 158
Foot-and-Mouth, 248
Geeldikkop, **338**
Haemonchosis, **26,** 212, 302, 350
Haemorrhagic Septicaemia, **53,** 274
Intussusception, **92**
Liver-Fluke, 170, 209
Louping-Ill, **44**
Nodular Worm Infestation, 217
Piroplasmosis, 272
Pneumo-Enteritis, 274
Piroplasmosis-like, 169
Rabies, 150
St. John's Wort Poisoning, 259, 260
Sarcosporidial Tumours, so-called, 301
Scabies, 165,172, 310
Scrapie, 301, 302
Sheep-Pox, **61,** 272
Trypanosomiasis, 106
Dipping of, for Keds, 195, 198
Export of, from India, 150, 164
Intoxication of, by Locust Secretions, **91**

Sheep—*cont.*
Insects Infesting, 17, **195,** 198, *see also* Anoplura, *and* Ticks, *under* **Entomology.**
Parasites of
Species referred to
Amphistomes, 208–9
Cysticercus tenuicollis, 212, 213
Gongylonema scutatum, 275
Haemonchus contortus, **26,** 166, 212, 216, 302, 350
Oesophagostomum sp., 217
columbianum, 92–3, 212, 302
Sarcosporidia, **301**
Stomach Worms, 216
Strongylus sp., 17
Tape-worms, 221
Trichocephalus affinis, 212
Treatment for, Investigations into, 163–4
Susceptibility of, to Bovine Anaplasmosis, **1**

Sheep-Pox
Incidence
Africa, 61, 62
Egypt, 272
France: Bouches-du-Rhône, **61**
Prophylaxis
Vaccination by Sensitized Virus, **61**

Shilston, A. W., Death of, from Glanders, 158

Skin Diseases and Affections Bovine, in
Brazil, 269
Northern Rhodesia, 232
Venezuela, 260–1

Slapziekte, *see* DOURINE, *under* **Trypanosomiases**

Snails
Fresh-water
Hosts of Cercariae, 206 *sqq.*, **208**
Destruction of, 209
Intermediate Hosts of Liver Fluke, 220–1
U.S.A. variety not known, 221

Souma, *see under* **Trypanosomiases**

South American Equine Trypanosomiasis, *see* Mal de Caderas, *under* **Trypanosomiases,**

Spirochaetoses
AVIAN
America, U.S., Tick-spread, 194
Egypt, 272
BOVINE, in Brazil, **99**
Transmission by *Margaropus Australis*, **199**
FELINE
Organism present in Stomach, **101**

Parasites associated with, and referred to
Spirochaetes and Treponema
Action on, of N. Phenylglycineamide-*p*-Arsonic Acid, **107,** 110–11
Identity of *theileri*, *equi*, and *ovina*, 101
Stomach species in Mammals, **16**
Action on, of Salvarsan, 17
equi, 101
novyi, 110
obermeieri, 110
ovina, 101
theileri, 100, 101
Treponema pallidum, 110

Sporotrichosis, in Rats, Action in, of Iodides, 235

Staggers
in Horses; South Africa
Acute, 63, 332
Chronic, 65
Causation, 67
Immunized against Horse-Sickness, 326, 327

Statistical Returns, Egypt, Live Stock, 1916–17, 272

Stomatitis, Equine, Contagious, Pustular, 242, 246
Virus of, Identical with that of Cowpox, 246

Stiff-Sickness in Cattle; Egypt, 272

Strangles: in Horses, 330
in Egypt, 272

Streptotrichosis (Pseudo-Actinomycosis), of Camels, Egypt, a new Disease, 275

Summer Sores, *see* **Conjunctivitis,** Habronemic, *and* **Granuloma,** Habronemic

Sunefuto Disease of Horses, Japan, 25

Surra, *see under* **Trypanosomiases**

Swamp Cancer, Equine
Incidence
Australia, North, 24
Solomon Islands, 24
Parasite believed to cause, 24
Probably transmitted by *Stomoxys calcitrans*, 24

Swamp Fever, Equine, *see* **Anaemia, Infectious** Equine

Sweating Sickness in Calves and Young Cattle; Southern Rhodesia, 279–80

Swine
Bats molesting; Venezuela, 261
Diseases and Affections of
Anthrax, 47
Ascariasis, 20, 218, 219
Erysipelas, 272
Foot-and-Mouth, 248
Haemorrhagic Septicaemia, 322
Infectious Equine Anaemia, Experimental, **147**
Pleuropneumonia, 89
Rabies, 150
Septicaemia, 164, 271
Swine Fever or Hog Cholera, 218, 239
Natural Immunity of, to Anthrax, 142
Parasites of
Ascaris lumbricoides (*suilla*), 210
Oesophagostomum, spp., 217
dentatum, 213
Wild: Rinderpest in, 113

Swine Erysipelas: Egypt, 272

Swine Fever, *see* **Hog Cholera**

Tetanus, in Cattle: South Africa, 305
in Egypt, 272

Texas Fever, *see under* **Piroplasmoses,** BABESIASIS, BOVINE

Theileriasis, *see under* **Piroplasmoses**

Three-Days' Sickness of Cattle, *see* **Ephemeral Fever**

Thumps, in Swine, *see* ASCARIASIS, *under* **Helminthology**

Toxaemia, in
Cattle: South Africa, 305
Horses: South Africa, 302

Tristeza, *see* DESRENGADERA, *under* **Trypanosomiases**
in Venezuela (Redwater), 191

Trypanosomiases
BOVINE, **106**, **111**, 115, 117, 118, 119, 157, 166, 168, 170, 171, 178, 232
Transmission by
Glossina, 117
Other Means, 117, 118, 119
Trypanosome of, 178

of CAMELS and DROMEDARIES, *see also* SALAF *and* SURRA, *infra*
Young, Infection of, by Infected Mothers, **13**

CANINE, 157
due to *T. marocanum*, **105**

CAPRINE, Treatment by Tryparosan, 106

DEBAB
Experimental, in Dromedaries, **285**
Heredity and Immunity in, **286**
Fatality of, to Equidae, 286
Insect Vector, 286

DESRENGADERA, 175, 176
Acute Form, 176
Symptoms, 175–6
Trypanosome of, 176

DOURINE, **12**, 13, **102**
Diagnosis, Experimental, **284**
Equine, **283**, 284, 302
Treatment by Atoxyl and Orpiment, 283
Pathology of, with Special Reference to Nerve Tissues, **102**
Stallions Clinically Recovered from, as apparently Healthy Carriers, **283**
Trypanosome of, Rare in General Circulation, 283, 284, 285

EQUINE, *see also* DESRENGADERA, DOURINE, MAL DE CADERAS, NAGANA, SOUMA, SURRA, *&c.*
due to *T. dimorphon*, Microfilariae Present, 127, 128, 129

EXPERIMENTAL in Rodents: Therapeutic Action in, of N. Phenylglycineamide - *p*-Arsonic Acid, **107**, 109

GHENDI, Trypanosome of, **111**

GOBIAT or Gumul, in Domestic Animals, Causal Trypanosome, 111

Trypanosomiases—*cont.*
Incidence: All Forms, in All Animals
Algeria, 283, 284
Argentina, 176
Canada, 12, 13
Congo, Belgian, 106
Egypt, 272, 274
Europe, 13
French Soudan, 104
French West Africa, 103, **126**, 127, 128
India, 156, 157, 158
Italian Somaliland, **111**
Moçambique Company's Territory, 115
Morocco, 105
Nigeria, 166
Nyasaland, 170
Panama, 287
Rhodesia, Southern, 115 *sqq.*, 168
Senegal, 104
South Africa, **12**
South-West Africa, 12, 13
Uganda, 170, 171
Union of South Africa, 12
U.S.A., 13, 102
Venezuela, **175**, 287
Insects Transmitting, *see* Glossina, *and* Tabanids, *under* **Entomology**

MAL DE CADERAS, 176, 287
Prophylaxis, 182
Transmission by Medicinal Leech, **181**
Trypanosome of, 182, 287

MURRINA: Trypanosome of, 287

NAGANA, 288

OVINE, 106

PESTE BOBA, *see* DESRENGADERA, *supra*

Prophylaxis
Control of Tsetse-Fly, 114, 115, 117, 119–20

SALAF, or Ducan, in Camels; Trypanosome of, 111–12

SOUMA, 105
in Cattle, 178
Causal Trypanosomes, 105
in Equines, 105

SURRA,
Animals Affected
Camels, 111–12, 158, 163, **179**
Treatment by Tartar Emetic, **179-80**

Trypanosomiases—*cont.*
SURRA—*cont.*
Animals Affected—*cont.*
Cattle, 157
Dogs, 157
Horses, 156, 158
Mules, 158
Prophylaxis, 156
Research on, 163
Transmission by Tabanids, 163
Trypanosoma evansi of 112

Transmission by Biting Flies other than Glossina, *and* Tabanidae (*q.v.*, *under Entomology*), 111, 166

Treatment, 128, by
Arsenic-Antimony, 168
Galyl, 105
Tartar Emetic, **179**
When Ineffective, 105

TRYPANOSOMES
Action on, of
Atoxyl, Tartar Emetic and Tryparosan, together (*on T. congolense*), **106**
N. Phenylglycylamide of Arsenious Acid, in *evansi* and *venezuelense*, 288
Serum of Guinea-Pig Infected with *T. venezuelense*, 288
Tartar Emetic, 179–80
in Cattle, and Zebus, 212
Pathogenic, Cultivation of, 177
Transmissible from Mother to Offspring, 13
Two kinds present at one time, 177
Species referred to
berberum, 13, 285
brucei, 13, 108, 109
cazalboui (*vivax*), 104, 105, 128, 178
cazalboui-vivax-type, 166, 178
celli, n. sp., 111
congolense (*pecorum*), **106**, 119, 171
dimorphon, **103**, 105, 111, 127, 128, 129
dimorphon-congolense-type, 106
equinum, 108, 109, 176, 178, 182, 287
equiperdum, 12, 108, 109, 283, 284, 285
evansi, 13, 108, 109, 112, 178, 288
evansi-type, 176, 178
gambiense, 13, 108, 109
guyanense, 178

Trypanosomiases—*cont.*
TRYPANOSOMES—*cont.*
Species referred to—*cont.*
hippicum, 178, 287
lanfranchii, 13
lewisi, 177
marocanum, **105**
pecorum, *see congolense*, *supra*
rhodesiense, 13
somalilense, n. sp., 111
theileri, 178
venezuelense, 176, 177, **287**
vivax, *see cazalboui*, *supra*

VENEZUELAN, 175 *sqq.*
Seasonal Incidence, 176
Symptoms, 175, 176, 177
Transmission-problem, 176

Tuberculosis
AVIAN : Uganda (imported), 172

BOVINE, 168, 171, **227**, 273, 278

of CAMELS, 273, 275

CAPRINE, 168

Incidence, All Forms, in All Animals
Egypt, 272, 275
India, 163, 227
Soudan, 273
Southern Rhodesia, 168, 278
Uganda, 171
Researches on : India, 163
Tuberculin Test for Working Animals 276

Tumours, Equine, *see* **Granuloma, Habronemic**

Turkeys : Blackhead in, **192**, 307

Turtles : Tick Infesting, 195

Typhus
CLIMATIC, in Horses : Italian Somaliland, 153

FELINE : Disease like, in India, 157

Ulcerative Lymphangitis, *see* **Lymphangitis,** ULCERATIVE

Ulcers
Equine, Intestinal
Habronemic, 220
due to Strongyles, 219

Vaccinia, *see* **Cowpox**

Veterinary
Education and Research: India (1918–19), **155**, 162 *sqq.*
Work, Progress in: India (1918–19), **155** *sqq.*

Warthogs, Rinderpest in, 113, 170

Warts on Cattle (Brazil), 269

Winton Disease of Horses, New Zealand, 333, 336

Wolves, Rabies in, 271

Worm Nodule, *see* HELMINTHIC NODULE *and* ONCHOCERCOSIS, *under* **Helminthology**

Zebra: Helminthic Parasites of, **131**, 132–3

Zebu
Parasites of
Haemonchus contortus, 212
Oesophagostomum radiatum, 36, 212
Setaria digitata, 212
Trichocephalus affinis, 212
Trypanosomes, 212